VENTMATE VENT COVERS



 $\underline{\mathbf{e}} = Std. \ Carton \ Qty.$

VENTMATE REPLACEMENT LIDS



63115

VENTMATE REPLACEMENT LIDS

61255, 63113

63114

In Section H: Roof Ventilation Refrigerator Vents Plumbing Vents Registers & Grilles Side Vents Trim/Molding Gutter Extensions

VENTMATE REPLACEMENT VENT LIDS

Fit 14" x 14" plastic frame vents. Sold and packaged two ways: individually in a box with graphics or bagged with a header card.

LOW PROFILE REPLACEMENT LIDS FOR VENTLINE, 1995+ ELIXIR AND HENG'S UNIVERSAL VENTS

Low profile lid. Note: for Ventline vents with a 12 volt fan, use one of the Standard Profile Replacement Lids (middle of the page) to fit over over the large fan.

Low Profile Lid for Ventline, 1995+ Elixir and Heng's Universal Vents

I	Color	Box/1	Bag/1	Price				
	White	61255	63113					
	Smoke		63115					
	Amber		63114					
ĺ	Lifetime Warranty Lid							
	White	69281						



Standard profile lid; fits over large fan.

Standard Profile Lid for Ventline, 1995+ Elixir and Heng's Universal Vents

Color	Box/1	Bag/1	Price				
White	69280	69278					
Smoke		69279					
Lifetime Warranty Lid							
White	65479						







Boxed

Vent Lids

Note that Standard Replacement Lids: Fit Elixir and Heng's models with 12V fan





VENTMATE LIFETIME WARRANTY REPLACEMENT VENT LIDS

Never buy another vent lid! Impact resistant and UV stabilized. Works on 14" x 14" power vents with 12V fans.

Lifetime Warranty Ventlid, White:

65487 Fits Old (Pre-1995) Jensen-Style #65487 12

69285 Fits Heng's & 1995+ Jensen-Style #69285 500

65489 Fits Pre '95 Elixir #65489 12

65479 Fits Ventline/ '95+ Elixir (Fits over large fan) #65479 12

69281 Fits Ventline/ '95+ Elixir Low Profile #69281 500

 $\underline{\mathbf{e}} = Std. \ Carton \ Qty.$

MAXXAIR VENTS

Registers & Grilles

The Original!

WALKER

TO THE ORIGINAL PROPERTY OF THE ORIGINAL PROPERT

Refrigerator Vents

Plumbing Vents

America's first choice for RV Ventilation


Roof Ventilation

- Protects your RV's interior from rain
- Constant airflow prevents heat build-up, lets musty air, smoke and cooking odors escape
- Proven, super-tough one piece design
- Mounts to all standard roof vents



The Original mounts on most popular 14" x 14" standard roof vents, and features our exclusive Zero-Leak Mounting System that eliminates the need to drill any holes in your RV's roof surface. Six-year Limited Warranty. 19.5"L x 18.5"W x 9"H.

*Warranty limited to repair or replacement, see vendor's website for details.



64643 White #00-933066 10

(Almond)

64644 Smoke #00-933067 5

64645 Shell White (Almond) #00-933068 5

65772 Black #00-933069 5

• Twice as much vent area as our original vent cover • Solid one-piece, sleek aerodynamic design • Hinged hardware included for easy opening and cleaning • Evan warranty best in the industry* Opening for Cleaning a Breeze Stainless steel snap lock pins remove for easy

Trim/Molding

Gutter Extensions

Now the new MaxxAir II, available in four popular colors, with twice the vent area and with hinged hardware included, is an even better value. Six-year Limited Warranty. 22.125" Length x 20.25" Wide x 9.5" Height.

*Warranty limited to repair or replacement, see vendor's website for details.

67277 White #00-933072 5

access. Hinged brackets provide full access for cleaning and

inspection of roof vent seal.

67278 Smoke #00-933073 5

67279 Shell White (Almond) #00-933074 5

67280 Black #00-933075 5

HAVE MOTOVAL

New louvers with protective galvanized screen provide superior rain protection and the new Fan/Mate for 2011 now includes hinged opening mounting brackets to allow for cleaning and servicing of your fan. The Fan/Mate 950 includes the same features as the Model 850 but is colored BLACK to accent custom painted RVs. Fan/Mate® is designed for use with high-powered ceiling fans such as Fan-Tastic™, Comfort Air™, or Northern Breeze™. The Fan/Mate® completely encloses your



can/mate@ completely encloses your ceiling fan/vent allowing your fan/vent to open for ventilation, providing excellent rain protection for your RAV interior. Both models feature a high-strength polyethylene cover with UV inhibitors, designed for years of service. Three-year Limited Warranty. 32.5" L x 20.5" x 9.93"H.

RAIN COVER FOR HIGH-POWERED CEILING FANS



- Model 850 (White) and Model 950 (Black) feature a 20 % larger vent area for better fan performance
- Both models have protective exhaust screen and louvers
- Both models feature hinge opening mounting brackets that provide easy access for cleaning and service

69251 Model 950 Black #00-945004 1

69252 Model 850 White #00-945003 1

MAXXAIR VENTS



All the benefits of a Yem Cover - Pius a fami

NEW! • Features hinge opening mounting brackets that provide easy access for cleaning and service

 Control console at ceiling provides 3 speed fan motor operation with intake and exhaust functions

- Thermostat model provides automatic operation
- Large 12" diameter, 10-blade fan prevents heat build-up, odors and musty air
- 2-year Limited warranty
- Powerful 12-volt, 4-amp motor provides more than 900 CFM on highest speed

MaxxAir's Turbo/Maxx® provides maximum ventilation even when it rains. Remove musty air, smoke and cooking odors while preventing heat build-up. The Model 1200T WITH THERMOSTAT allows the fan to cycle on and off when you're gone. Simply adjust the thermostat to your desired temperature. The Turbo/Maxx® attaches directly to your existing 14" x 14" standard roof vent. Both models feature a white, high density polyethylene rain cover with UV inhibitors. Two-year Limited Warranty.

61895 1200T With Thermostat #00-965001 <u>1</u> **64920** 3550 No Thermostat #00-965007 <u>1</u>



- Provides refreshing cross ventilation • Ideal ventilation for pets
- Mounts to left or right hand sliders up to 33" tall • Window fully opens and closes as before.

61497 Window/Maxx #00-455000 **6**

ZERO LEAK KIT. Original Hardware Kit for re-installation of the original MaxxAir Vent Cover. Mounts to the vent side wall to avoid drilling holes in your roof. Stainless steel and aluminum. Not to be used for Fan/Mate, Turbo/Maxx or MaxxAir II.

65252 Zero Leak Kit #00-225000 <u>5</u>

MaxxAir products are protected by U.S. Patent Nos. 7,004,832; 5,309,972; 5,672,101; 5,897,435; D.376,007; D.390,415; D.320,267; D.391,632; D463,541 S and other Patents Pending. Fan-Tastic VentTM is a registered trademark of the Coleman Co., Inc. Comfort Air is a registered trademark of SHURflo, LLC Northern Breeze is a registered trademark of Ventline, Divn. of Philips Products, Inc.

 $\underline{\mathbf{g}} = Std. \ Carton \ Qty.$

Roof Ventilation

Refrigerator Vents

Plumbing Vents

Registers & Grilles

Trim/Molding

Gutter Extensions

FAN-TASTIC VENT

MODEL 8000 CREATE-A-BREEZE

Three fan blade speeds (low, medium, high), and a manual dome lifting knob. Model 8000 C-A-B by Fan-Tastic Vent is an entry level best-in-class fan that is great for bathrooms or any 14" x 14" opening in your RV.



Technical Information:

Low - 478/1.86/39.

1 year limited warranty

(all parts).

• Durable, proven longevity. • Quiet, 12-volt ceiling vent with 3 speeds. • ASA Dome / 1 year warranty. • Removable screen for easy cleaning. • Low AMP draw insures full-time use.

Specifications: • Rooftop weight: 8 lbs. • Outside dimensions: 16.5" x 16.5" x 4.5". • Performance SCFM/Amps/Decibels: High - 920/3.00/40; Medium 653/2.29/39;

66607 12V Create-A-Breeze Ceiling Fan #8000

FAN-TASTIC VENT



* See also 12V Power Converter (Coast#10002 on p71)

12 volt only 12-VOLT "ENDLESS **BREEZE" FAN ***



Endless Breeze is a high volume 12-volt fan with a 12" blade and operates at three speeds. Air movement of up to 1000-CMF (cubic feet per minute) is a major breakthrough in 12-volt portable fans. Standing only 14" H on retractable legs, and less than 3" thick, it travels and stores easily. Weights under 5 lbs. Endless Breeze can be powered by any 12-volt power source such as automobile lighter outlets or by connecting jumpers to any 12-volt battery. Maximum draw is less than 3 amps/hour. Comes with a 6' cord. Operates efficiently up to 14' from its power source.

12931 12-V Box Fan #1100WH 1

FAN-TASTIC VEN

FAN-TASTIC VENT WITH 12V FAN

66374

Fan-Tastic Vent is an investment in comfort. It provides immediate air exchanges with minimum 12-volt power usage. It's one of the most used appliances in any rig. Fresh, clean, outside air can be yours without generators, air conditioners or engines operating. All models fit standard 14" x 14" opening; and are 16.5" x 16.5" x 4.5". All have removable screen for easy cleaning. Choose fan blade direction (OUT for exhaust or IN for air intake). CSA certified; UL listed.

Model 6600R with Hand Remote: Fresh air in the palm of your hand™!

No need to run wires down the wall...or bring a chair to reach the high ceiling! This air exchange system for the RV includes a hand held radio frequency remote that makes operation as simple as sitting in your easy chair and pushing a button. A convenient wall cradle lets you choose an easily accessible location, install the lightweight cradle, and operate the fan from the cradle, or remove the remote and operate from anywhere inside or outside your coach. 14 speed fan including reverse, Rain Sensor, automatic variable speed (Thermostat actuated) mode.

Model 6000RBTA

Just select your speed from this 3-speed model. Features Automatic Dome Opener with built-in Rain Sensor. Flip a switch and the dome opens or closes. Or when the sensor gets wet, the dome automatically closes; opens again when sensor is dry. Built-in thermostat helps keep the interior cool.

Model 5000RBT

A manual opening, 3-speed vent with reverse and thermostat. Hand crank open the dome, pick IN or OUT and your fan blade speed, set the

62316

inside view of 62316



thermostat and the blades will start and stop according to the chosen temperature. Perfect for when you leave pets behind or while sleeping.

Model 4000R

A manual opening, 3-speed vent with reverse. Hand crank open the dome, choose IN or OUT and your fan speed. Fan blade is activated when dome is opened approximately 2".

Rain Sensor models have fully automatic opening and closing dome. When the rain stops, the dome re-opens.

Fan-Tastic Vent:

66374 Model 6600R 14-Speed 12V Fan with Reverse, Cradle, Thermostat, Automatic Opening Dome, Rain Sensor, Remote & Cradle #6600R-417 4WH 4

62316 Model 6000RBT 3-Speed 12V Fan with Reverse, Thermostat, Automatic Opening Dome, & Rain Sensor #6000RBT-BRIGHT WHITE 4

62467 Model 5000 RBT 3-Speed 12V Fan with Reverse & Thermostat, Manual Opening #5000RBT-BRIGHT WHITE 1

62466 Model 4000R 3-Speed 12V Fan with Reverse, Manual Opening #4000R-BRIGHT WHITE 1

FAN-TASTIC POP'N LOCK SCREEN

We are happy to introduce the new Pop 'N Lock Screens, allowing pop-in screen installation and replacement. The clip-on feature eliminates having multiple screws to install, making maintenance and cleaning a snap. The Pop 'N Lock screens are made of high-impact polystyrene and will replace all existing screens, covering up old screw holes and giving an attractive, sealed fit.

Pop'n Lock Screen, Bx/2: 67321 Off-White #K2035-80 2 67322 White #K2035-81 15

FAN-TASTIC VENT



ROOF VENTILATION

Roof Ventilation Refrigerator Vents Plumbing Vents Registers & Grilles In Section H:

Powered, 14" x 14"

Side Vents

Trim/Molding

Gutter Extensions

VENTLINE **VENTADOME** 14" x 14" VENT WITH RADIUS CORNERS





Phase I: Ventline's new aerodynamically shaped dome has 4X the impact strength of other polypropylene covers on the market. The improved lift mechanism provides a smooth operation and eliminates chatter. The slide mechanism has more surface area contact, making the guide bar stronger and allowing better distribution of stress.

Phase II: Snap-out screen easily detaches for cleaning. The ceiling garnish and crank handle remain in place no screws to lose.

Non-Powered New Style Ventadome:

67545 Birchwhite #V2092SP-25 1

67552 Bright White #V2092SP-28 1

67551 Smoke #V2092SP-27 1

Powered New Style Ventadome:

67553 White, 12V #V2094SP-28 1

69540 Fan Blade for standard unit

#BVD0215-00 1

WEDGE SHAPE R REPLACEMENT DOME FOR VENTLINE NEW STYLE VENT

67542 White #BVD0449-A01 12

VENTLINE STANDARD HEIGHT REPLACEMENT LID FOR VENTLINE VENTS

Ventline Standard Height Cover 69278 White, Bag/1 #69278 5 69279 Smoke, Bag/1 #69279 500

VENTADOME REPLACEMENT PARTS

69749 12V Repl. Motor Kit; Included in the kit is the VD0218 motor, motor lead wires, screws, instruction sheet and a drill template to retro-fit the VD0218 motor to the brackets used with the older motors (screw hole spacing is different) #BVD0218-00 1

65015 Repl. Operator w/crank handle and screw #BV0115-04 W/SCREW 20

66591 Ventadome Knob Only #BVD0421-15 <u>15</u>

65017 Repl. Operator with extension, crank handle and screw #BV0115-02 20

64924 Fan Blade f/12-V roof Ventadome. 6-Blade CCW; fits .125 dia. round shaft with knurl; 6" dia.; White #BVC0466-00 1

46596 Vent Crank only (with bolt) #H710

#BV0199-04 1

64365 Vinyl Seal, 51" #BVD0455-01 60 66030 Push Button Switch f/Vanair Vent

Ventadome has a 100cfm fan for extra circulation.





66591 Operating Knob

VENTADOME 14" x 14" VENT WITH RADIUS CORNERS

Non-powered Ventadome roof vents with tough plastic translucent covers provide maximum light and air capabilities. Steel constructed; easy-open operation, heavy-duty screens and superior weather seals. Rough-in opening is 14-1/4" square. Sun-resistant domes are high-impact polypropylene plastic. Molded-in color, plus a special UV ray inhibitor keeps color vibrant vear after vear.

61113 White, 110-V, without Garnish (Not shown) #V2128-511-00 5 65566 2-1/8" Plastic Garnish for Radius Corner Roof Vents, White #VA0445-26 <u>48</u>

KNOB OPERATOR

Ventadomes now feature a knob operator, replacing the traditional L-shaped crank handle. The round knob (66591) provides an easier grip and allows for a smoother operation of the lift assembly. The knob also detaches easily, permitting faster screen removal and cleaning. The knob is interchangeable with the L-shaped crank, so you can also use it on older vents.

METAL COVER VENTADOME

Non-Powered 14" x 14" Ventadome with Metal Cover, Radius Corner Screen Frame and Ceiling Garnish:

65560 Metal Cover Vent, Radius Corner #V2110SP-23 1

60759 Replacement Metal Dome #BV0534-00 <u>20</u>

65565 1-1/8" Plastic Garnish for Radius Corner Roof Ventadomes, White #VA0445-25 1

Garnish only

62320 31/8" Plastic Garnish for radius corner roof ventadomes, Birch White #VA0445-27 34

Another product improvement by Ventline that makes cleaning a snap!



VENTLINE SCREEN* FOR STANDARD VENTADOMES

Simply detach the screen by pinching the tabs located around the perimeter. There is no need to remove the ceiling garnish or the handle! The new frame with removable screen replaces the old style single piece screen.

REPL.. FRAME WITH REMOVABLE SCREEN

Birch White Frame w/remov. screen (2 pces): 68788 For Standard 12V Powered Roof

Ventadomes, Comes with rocker switch and wires, For models V2094, V2193 and V2394 #BVC0573-31R 40

68787 For Standard Non-Power Ventadomes #BVC0573-31 40

REMOVABLE SCREEN

Removable Screen Portion only: 68801 Birch White #BVD0434-31 1 68785 Polar White #BVD0434-41 1

• Please note that the pocket of the new screen is slightly different than the old screen. Customers may require a different length ceiling garnish.

GARNISH MODEL#	INSTALLED WITH	NEW 2 PIECE SCREEN (VC0573TAB) VS OLD SINGLE PIECE SCREEN (VA0444TAB)		
VA0445-27		3" to 3-15/16"		
VA0443 21	V2092	2-7/8" to 4"		
VA0445-26	V2094	2" to 2-15/16"		
VA0443-20		1-7/8" to 3"		
VA0445-25	V2110	1" to 1-15/16"		
VA0443-23		7/8" to 2"		
	New Style			
	Old Style			



Refrigerator Vents

Plumbing Vents

Registers & Grilles

Trim/Molding

Gutter Extensions



HENG'S INDUSTRIES STANDARD MOUNT PAINTED **METAL BASE VENTS**

Features: • Self-Centering Device eliminates installation guesswork and assures perfect alignment in roof opening. • Attractive radius corners are standard. • Screen allows air through while keeping insects out. • Positive-seal weather-stripping is leak-resistant and water tight. • One-piece seamless frame with a deep drawn painted metal base. • Hinge: Heng's and 1995+ Jensen style without hinge pin.

Advantages: • Acrylic UV-Resistant translucent lid conforms to Federal Motor Vehicle Safety Standard (FMVSS; No.205 glazing materials).

· Injection molded telescoping garnish accomodates a variety of roof thicknesses. • Hand crank to open and close lid securely.

COLONIAL WHITE METAL BASE

Non-powered (Screen Frame Is Pure White)

60750 Bronze #V773401-C1G1 10

60751 Smoke #V774401-C1G1 10

60752 White #V771401-C1G1 10

With 12V Fan Only:

60749 Vent with Smoke Lid, 12V Fan, Colonial White Metal Base #V774402-C1G1 10

Replacement Late-Model Lid, no pins required, for Heng's vents shown above:

62007 LS Amber Lid #J7291BZ-CR 10

62008 LS Smoke Lid #J7291SM-CR 10

69282 White Lid, Bag/1 #69282 500

69284 White Lid. Box/1 #69284 500

Additional Replacement Parts for above vents:

61974 Deep Garnish for 14" x 14" Vents, (fits ceilings $2^{1}/_{2}$ " $-4^{1}/_{8}$ " thick, measures 33/8" from top to bottom), White #JRP1120B <u>40</u>





HENG'S INDUSTRIES **ESCAPE HATCH / EXIT VENTS**

Features: • Fresh air ventilation: A turn of the crank provides a large vent area. Lets air through, keeps insects out. • Includes opaque white plastic lid. • Sturdy frame installs easily and is made of heavy aluminum extrusion to assure secure mounting. • Dependable operation featuring leak-resistant lid and weather-tight frame. • White garnish included.

Advantages: • Instant exit. Screen opens quickly to assure fast exit through opening.

- Largest selection: 13" x 20" to 26" x 26".
- · A strong fine mesh screen.

ESCAPE HATCH / EXIT VENT W/WHITE LID

60255 15" x 22" Escape Hatch, with 4 pc... 2" White Metal Garnish; Cutout: 17-1/2" x 24-1/2" #58621-C2 5

61631 17" x 24" Escape Hatch, with 4 pc., 2" White Metal Garnish (RVIA); Cutout: 19-1/4" x 26-1/4" #48621-C2 1

60372 26" x 26" Escape Hatch, with 4 pc. 2" White Metal Garnish (RVIA); Cutout 25-7/8" x 25-7/8" #68631-C2 1

REPLACEMENT DOME

60272 For Old-Style 13" x 20" Vent, 15" x 22" Lid Size #90007-C1 1

60256 For 15" x 22" Vent, 18-1/2" x 25" Lid Size #90008-C1 1

61624 For 17" x 24" Vent, 19-3/4" x 26-1/2" Lid Size #90088-C1 1

The 60371 style dome has a 1-5/8" H hinge plate, and one track down the middle. Fits vents made 1995 to date. 26" x 26". Opaque.

60371 For 26" x 26" Vent, 26-1/2" x 26-1/2" Lid Size #90014-C1 1

OLD STYLE REPLACEMENT DOME

The old style dome has a 2-1/4" H hinge plate, and one track down the middle. Opaque white. 26" x 26".

60882 Old Style Replacement Lid #900140S-1 1

REPLACEMENT PARTS FOR DISCONTINUED JENSEN ASTRO-ROOF VENT

Parts for the Astro-Roof vent with instant escape release hatch. Vent no longer available.

Replacement Parts Only:

60174 22" x 22" Dome #J294X22WH 1

HENG'S

Garnish sold separately

HENG'S INDUSTRIES STANDARD MOUNT **UNIVERSAL VENTS**

Features: • Self centering metal base w/radius corners.

• Interior garnish w/wider 1-1/4" flange and radius corner. • Available in standard, 12-volt, CSA and UL approved 110-volt.

• Designed to withstand excessive wind and weather. • Hinge: Crimp sheet metal.

Advantages: • Universal, fits all rough openings. • Flange covers all screws holes.

• One piece metal frame, deep drawn metal base. • Covers all interior stains left by previous garnishes. • Positive-Seal weather stripping is leak resistant and water tight. • Interchangeable with existing Elixir and Ventline products.

Galvanized Base, Non-powered (Screen Frame is Pure White):

69633 Amber #73111-C1G1 10

69635 Flat Galvanized #75111-C1G1 10

69634 Smoke #74111-C1G1 10 69632 White #71111-C1G1 10

Replacement lids for above plus Elixir vents 1995 and newer (universal) & Ventline vents:

61345 Metal f/69635 #90114-C1 10

61334 White f/69632 #90110-CR 10

See pages 200-201 for additional replacement lids for above vents.

REPLACEMENT PARTS FOR ABOVE VENTS

White Garnish, 1-1/4" Wide Mounting Flange:

69636 1-1/8" Vertical Leg #90090B 10

69638 3" Vertical Leg #90092B 20

69639 4" Vertical Leg #90094B 20

69749 12V Repl. Motor Kit; Included in the kit is the VD0218 motor, motor lead wires, screws. instruction sheet and a drill template to retro-fit theVD0218 motor to the brackets used with the older motors (screw hole spacing is different)

#BVD0218-00 1

65390 Screen Frame, White. Garnish telescopes inside screen frame

#90106-C1 <u>60</u>

65484 Jensen, 1/8" D Bore, CW, CD/1 #65484 1

65012 Operator for 14" Elixir & Jensen Vents. w/o Crank Handle, 6" Arm Length,

1/Bag #JRP1000R-C 5

41361 Replacement Operator, 6" Arm Length w/Crank Handle, (same as #65012) CD/1

60178 Crank Handle for replacement operator. Metal, 3/Card #JRP2160R-C 5

Roof Ventilation

Refrigerator Vents

Plumbing Vents

Registers & Grilles

Side Vents

Trim/Molding

Gutter Extensions



STANDARD MOUNT PLASTIC BASE JENSEN-STYLE VENT by **HENG'S INDUSTRIES**

Features: • Exclusive Self-Centering Device eliminates installation guesswork, assures perfect alignment in roof opening. • Attractive radius corners are standard. • Screen allows air through, keeps bugs out. • Positive-seal weather stripping is leak-resistant and weather-tight. · Hinge: Jensen-style slotted.

Advantages: • Acrylic UV-Resistant translucent lid conforms to Federal Motor Vehicle Safety Standard (FMVSS). • Hand crank opens and closes lid securely. • 14" x 14" vents with 1-1/2" (vertical leg) white garnish and white screen. . Individually boxed.

WHITE BASE, NON-POWERED

60101 Amber #V073101-C1G1 10 60102 Smoke #V074101-C1G1 10 60100 White #V071101-C1G1 10

WHITE BASE, WITH 12-V FAN

60012 12V, White #V071102-C1G1 10



Parts for the discontinued model #V2047 (22" x 22", pictured above) and for the discontinued model #V2052 (15 1/2" x 22 1/2").

60763 Replacement Dome (Lid) for V2047-01 Exit Vent, white; nominal overall flange size 24" x 24"; rough opening of 22" x 22"; #BV0586-04 1

65020 Replacement Operator with Guide Roller, Crank Handle and Screw #BVA0179-00 W/SCREW 1



Roof Vent Operator, CD/1: 44100 4" Arm #794CK 10 44108 5" Arm #898CK 10

41067 7" Arm #807CK 10

62430 or 61450





Remote switch included in #61450 Power Lift Roof Vent

WHITE BASE, WITH 12-V FAN & LIGHT

Vent with integral 12-volt light has a translucent plastic lens and four 3-watt low-voltage lights.

62430 Lighted Vent, White with 12-V Fan #V071112-C1G1 10

69631 Replacement Lens for Jensen V071112 or V071142 #JRP1161R-C 5

WHITE BASE, 12V FAN, LIGHT & POWER LIFT

Vent with power lid-lift uses 12-volt DC motor operated by a convenient remote switch.

61450 Vent with White Plastic Lid, 12-V Fan and 12-V Lights for 1"-2-9/16" Roof Thickness #V071142-Č1G1 10





This convenient 9" x9" lightweight vent is ideal for providing fresh air in small places such as bathrooms, passageways, galleys, etc. This mini vent is weatherproof due to the quality high-impact plastic used in its construction.

60267 Colonial white opaque 9" roof vent with 7/8" plastic garnish, Boxed #17511-C1G 10

VENT OPERATOR KIT

1/card, with screws.




41066 5" Arm Length #806CK 10 41361 6" Arm Length #814CK 10



Saves installation time!

HENG'S INDUSTRIES CLAMP STYLE PAINTED METAL **BASE VENTS**




Features: • Self-Centering Device eliminates installation guesswork and assures perfect alignment in roof opening. • Exclusive four-screw inside flange mount feature for attaching base garnish to lid mount. Saves labor on installation. • Screen allows air through while keeping insects out. • Attractive radius corners are standard.

- Positive-seal weather-stripping is leak-resistant and water tight. • One-piece seamless frame with a deep drawn painted metal base. • Unique integral hinge system on lid. Advantages:
- Acrylic UV-Resistant translucent lid conforms to Federal Motor Vehicle Safety Standard (FMVSS; No.205 glazing materials). • Injection molded telescoping garnish accomodates a variety of roof thicknesses. • Hand crank to open and close lid securely. • Hinge: Heng's & 1995+ Jensen style without hinge pin.

PURE WHITE BASE SCREEN FRAME

69640 Non-Powered, White #V971201-C1G1 <u>10</u>

69641 Vent with 12V Fan, White #V971202-C1G1 10





No more foot stools or ladders. The VentStick makes it easy to open and close any RV vent in seconds and lets you do it with both feet firmly on the ground. The special knob installs in minutes.

66081 VentStik with1 Knob #29070 1 66080 Knob 2-Pack with rings #29103 1

Roof Ventilation

Refrigerator Vents

Plumbing Vents

Registers & Grilles


Side Vents

Trim/Molding

Gutter Extensions

HENG'S





HENG'S INDUSTRIES VORTEX FAN REPLACEMENT KIT

Don't just move air, create a VORTEX!

Update your old, inefficent powered vent easily without replacing the entire vent or compromising the rooftop seal. Just replace your existing screen with the Vortex upgrade kit. Make your outdated vent more powerful without buying a whole new and expensive vent.

Replacement is easy and only a Phillips screwdriver is needed. Tampering with the rooftop seal is NOT necessary. The Vortex vent works with Ventline, Jensen and Elixir powered U.S. vents. Nonpowered vents can be converted with some additional wiring.

69150 Vortex Fan Replacement Kit #90043-CR §



JENSEN VENT REPLACEMENT PARTS by HENG'S INDUSTRIES

Motor for 12-volt power vents, fits Elixir, Heng's, Jensen & Ventline.

67249 12-V Motor, with D Shaft #90037-C1 5

65012 Operator for 14" Elixir & Jensen Vents, w/o Crank Handle, 6" Arm #JRP1000R-C 5

60178 Vent Crank Handle; Metal, CD/3 #JRP2160R-C 5



VENTMATE FAN BLADES

12-V Powered Vent Fan Blade:

REPLACEMENT 6 FAN BLADES

"6" fan blades for 12-v powered roof vents and range hoods. White, impact-resistant plastic. Direction of spin is determined by looking down through the motor, at the top of the blade.

65483 Ventline, 1/8" Round Bore, CCW, CD/1 #65483 <u>1</u> **65484** Jensen, 1/8" D Bore, CW, CD/1 #65484 <u>1</u> **65485** Ventline & Pre '95 Jensen, 1/8" D Bore, CCW, CD/1 #65485 <u>1</u>

65491 Current Ventline, 3/32" Round Bore, CCW, CD/1 #65491 1 12-V Powered Range Hood Fan Blade:

65484 '95-Present Jensen, 1/8" D Bore,

CW, CD/1 #65484 <u>1</u> **65485** Pre '95 Jensen, 1/8" D Bore, CCW, CD/1 #65485 <u>1</u>



Vent Cover insulates and blocks sunlight, moonlight or street lights

from your RV's interior. Installs and removes easily in seconds using supplied Velcro. Rugged, durable vinyl with reflective silver finish on one side provides better insulation and blocks heat. 18" x 18" overall size to cover virtually any 14" x 14" roof vent. White/Silver color. 3-yr. mfr. warranty.

86045 Vent Cover #7172 1



Use to seal and attach vent or any accessory mounted to the outside of an RV. Includes 8' of white, 3/4" putty tape & 24 #8 screws.

65373 Vent Mounting Kit #E451 12



Experience the comfort, style and convenience of a ceiling fan in your recreational vehicle. This 4 blade, 42" designer hugger, 12 volt ceiling fan features four speeds plus reverse, a mounted wall switch, and a low profile (6" off ceiling). Contemporary white design matches most decors. Individually boxed. Easy to install. Low 1.18 amp draw.

67252 Ceiling Fan with Wall Switch #410RV42WH 1



Replacement Metal Vent Crank will fit most applications. Made of die cast steel for long lasting use. Replacement screw included.

45179 Metal Vent Crank, Packaged #20305 24



RV DESIGNER VENT CRANK

Fits Jensen, Elixir & Ventline vents. 2" crank with 3/4" shaft. Metal. Bolt included, Pk/1.

46596 Vent Crank #H710 1

JR PRODUCTS VENT INSTALLATION KIT

Vent installation kits have everything you need to replace your existing vent or install a new one.
Comes complete with 36 screws and 8' of putty tape. Packaged in convenient, resealable clamshell.



65051 Vent Installation Kit #04162 <u>12</u> **67502** Butyl Vent Installation Kit #04182 18

REFRIGERATOR VENTS

Registers & Grilles Plumbing Vents In Section H: Roof Ventilation Refrigerator Vents Side Vents Trim/Molding **Gutter Extensions** 62765



VENTS FOR NORCOLD REFRIGERATORS

ROOF VENT

Low profile plastic roof vent for use with all models. Complete set includes cap and base (order separately). Installation cutouts 5-1/4" H x 24".

65532 Vent Cap Only, Polar White #65532

65309 Base Only #616319BWH 12

SIDE VENTS

Plastic Side Vent. 13-3/4" H x 21-1/2" W cut-out size; 16-1/2" H x 24-1/4" W overall size:

61750 Polar White #621156PW 12

62765 Latch only #617772 1

Upper Side Vent For Models 322, 422/3. 452/3, 652/3. 7-1/4" H x 20-7/8" W:

61880 Polar White #617485PW 1

Lower Side Vent For Models 322, 422/3, 452/3, 652/3. 9-9/16" H x 19-1/8" W:

61889 Polar White #617484PW 1

61124

Base







61889

VENTMATE REFRIGERATOR VENT LIDS

Made of high impact plastic. UV stabilized. 65528, 65529, 65597 and 65598 are direct replacement lids for Dometic refrigerator vents. 65532 is a direct replacement lid for Norcold refrigerator vents.

Refrigerator Vent Lid, Polar White, Fits:

65532 Norcold #65532 1

65528 Dometic N/S #65528 10

65529 Dometic O/S #65529 1

Refrigerator Vent Lid, Colonial White, Fits:

65597 Dometic N/S #65597 1

65598 Dometic O/S #65598 1



Made of durable long lasting plastic that won't fade or discolour. Perfect for replacing existing vents or to install a side vent.

67303 Horseshoe Vent. Polar White #298-01-A-PW-A 1

VENTLINE METAL REFRIGERATOR ROOF VENTS **CUTOUT: 5" X 18"**

61131

DEXTER

Cap

White prefinished metal, streamlined design cover. With bug screen. Order cap and base separately.

61124 Vent Cap, overall size , $10^{1}/_{2}$ x $18^{11}/_{16}$ " x $2^{15}/_{16}$ ", White #V0157-03 20

61131 Base with screen, overall size 7½" x 20¹³/₃₂" #V0504-00 20

CUTOUT: 5" X 20"

65690 Vent Cap, overall size, $11^{9}/_{16}$ x $20^{3}/_{4}$ x 3 , White #V0432-03 $\underline{20}$

61958 Base with screen, overall size 7½" x 22¹³/₃₂" #V0565-00 **20**

CUTOUT: 5" X 24"

65689 Vent Cap, overall size, 11½" x 24¾" x 3",

White #V0203-03 20

61132 Base with screen, overall size $7^{1}/_{2}^{\text{"}} \times 26^{13}/_{32}^{\text{"}} \#V0523-00 \underline{20}$



Installation kit with everything you need to replace or install a hatch. Includes premium butyl tape and screws for a proper seal.

Hatch Installation Kit:

65439 Small (25" butyl tape and 12 screws) #04205

65440 Large (36" butyl tape and 10 screws) #04195



PLUMBING VENTS • REGISTERS

In Section H: Roof Ventilation Refrigerator Vents Plumbing Vents

Registers & Grilles

Side Vents

Trim/Molding

Gutter Extensions

CVINICO

CAMCO NEW! **FLYING INSECT SCREENS**

FOR PLUMBING VENT

Wasps, mud dauber, birds and rodents pose a serious threat to your RV water heater, furnace and stove. They can enter through vents and openings and cause serious damage by building nests that interfere with air

flow. Protect your valuable investment by purchasing and instal-ling Camco's Flying Insect Screens. These easy-to-install screens will help ensure that your vents stay free from costly invasion by unwanted pests.

60388 RV Plumbing Vent #42152 6





CAMCO CYCLONE PLUMBING VENT

Use the power of the wind to draw holding tank odors out of your RV. Even a gentle breeze works with the dynamically engineered shape of the Cyclone™ to create a powerful vortex that pulls odors up and away. Attaches easily to any RV plumbing vent. Patent Pending.

69253 Sewer Vent Cover #40595 3



Used by many RV Manufacturers for cord and fresh water access to your RV compartments. They are constructed of durable ABS for long life and will replace most units used in today's markets. Easily installed anywhere easy access is needed.

Access/Deck Plate, Packaged:

45228 4" Black #31015 16

45227 4" Polar White #31005 16

45230 5" Black #31035 16

45229 5" Polar White #31025 16



- Automatically removes RV plumbing odors and moisture. • Silent and reliable ventilation. · Aerodynamic for less drag co-efficiency.
- Durable powder coated finish. Installs easily on roof top. • No wiring required. • Universal design replaces most RV plumbing caps.
- Solar powered start and stop. 3-yr. warranty.

69847 Mini Solar Plumbing Vent #53-945001 <u>20</u>



GALVANIZED STEEL: Made of galvanized steel for 11/2" pipe. Removable cap.

67231

65735 Plumbing Vent w/Cap #V2084 1

PLASTIC: Plastic vent fits pipes 1 1/2".

Plumbing Vent:

60026 Colonial White #V2049-03 100

62334 White #V2049-01 100

CAMCO REPLACE-ALL

CYINICO

PLUMBING VENT

SUNFORCE **SOLAR VENT** WITH LIGHT



sunlight. Easy installation, no wires required. Silent secure ventilation.

No running costs. Helps reduce humidity. Can be mounted in polycarbonate, glass, wood, metal and more. Dim.: 9.5" L x 9.5" W x 3.5" H (24 x 24 x 8.89 cm).

14843 Solar Stainless Steel Vent #81300

SUNFORGE

CAP ONLY Separate cap fits up to a 2" pipe. Features spring

tension attachment, which eliminates the need to replace the entire vent iust because of a lost cap top. Patented.

Replace-All Plumbing Vent Cap Only:

67232 Beige #40134 6

67231 Polar White #40034 6


5" METAL PLUMBING VENT



Vent pipe is 5 1/16 i.d. for 5" nominal duct size. Stands 4 1/8" above flange. For flat roof.

61125 5" Metal Vent #V2005-00 26

HONG'S HENG'S **PLUMBING VENT**



resistant finish. They feature a unique cap which can be locked on or removed with a twist of the wrist without the need of tools. These vents are made to fit pipes up to 2" in diameter with a 2-1/2" projection above the roof.

Plumbing Vent:

61404 Colonial White #10002-C 25

69642 Polar White #10001-C 25



Rotaire register is molded from durable ABS plastic in a variety of colors. The damper mechanism can be easily opened and closed and may be completely removed for full flow. Grill rotates a full 360° to direct air flow where desired. 4" dia. mounting collar; overall 5" dia. by 2-1/4" D.

Rotaire Register:

65591 Beige, 4" #16511 1

65593 Black, 4" #16611 60

65592 Walnut, 4" #16411 1

65596 White, 4" #16711 1

68666 White Provent, 5" (fits 4"

opening) #16812 50

REGISTERS • GRILLES • SIDE VENTS

In Section H:

Roof Ventilation

Refrigerator Vents

Plumbing Vents

Registers & Grilles

Side Vents

Trim/Molding

Gutter Extensions

D & W INC. PRODUCTS

SPACEPORT OUTLET **VENT FOR DUCTED** A/C SYSTEMS



Designed as an upgrade replacement of the popular Aireport vents used in the ceilings of most RVs. The Spaceport both opens and closes, and rotates for the ultimate in comfort control. Easy to install; just

remove screws of old vent and replace with the Spaceport. 6-7/16" overall dia.; 4-5/8" hole size.

61452 Outlet Vent #8840WH 1

AIREPORT GRILLE

A louvered version of the Aireport Diffuser lets you direct the air exactly where you wish. Easily installed and efficient in operation. All Aire-

ports are interchangeable after installation. 7" overall dia: 4-1/4" hole size. White.

61451 Aireport Grille #6840WH 1

AIREPORT DIFFUSER

The adjustable for ducted air



and efficiency, plus a unique design feature that eliminates condensation. Partially closeable. 6.5" overall dia; 4-1/4" hole size. White.

61449 Diffuser #5840WH 1



· Replaces air ventilation

registers. • Requires a 5-1/4" opening and 4 mounting screws.

• Direct OEM replacement. • Won't fade, discolor, rust, or peel. • UL 94 C-O & approved for use w/Dometic air conditioners. • Dimensions: Cut Out Dim. 5" and Outside Dim. 6-1/2".

27806 Polar White, Undampered, packaged #GRILL2-A 20

27808 Polar White, Dampered, packaged #GRILL2D-A 20



AP PRODUCTS FLOOR REGISTER

Sturdy metal construction with extra-deep flange. Easy, fast installation. Narrow spaced fins and wide flange are important home owner features. Adjustable. 1" Deep.

NOTE: size shown is the hole size.

4" Wide Register (5-1/4" Outside), Brown:

68646 8" L #013-626 48 68641 10" L #013-628 48 68644 12" L #013-630 48

4" Wide Register (5-1/4" Outside), White:

68647 8" L #013-625 48 68643 10" L #013-627 24 68645 12" L #013-629 24



Durable brown finish. Easy to open and close.

Double Shutter Reaister:

61605 4" x 8" #12509 48 61604 4" x 10" #12511 48

Return Air Grille without Dampers:

61199 53/8" x 9 1/4" Return, For 4" x 8" Opening #10F2509 12 **61198** 53/8" x 113/4" Return, For 4" x 10" Opening #10F2511R <u>48</u>

HENG'S **EXHAUST SYSTEM**



This unit consists of an attractive exterior vent cover designed to keep rain and dust out of your vehicle with an outside manual release damper. Once the outside manual release damper is unsecured, the damper automatically opens when the range hood fan is activated to allow cooking odors and smoke to be exhausted. The damper automatically closes to prohibit insects and dust from entering when the range hood is not in operation. The manual release damper must be secured before travelling, Dim.:4.62 x10.88", Cutout: 4" x 10.86",

Durable Standard Vent Cover with Damper:

66289 Bright White #J116AWH-C 60

62810 Almond #J116AOW-C 60



RV DESIGNER FLOOR REGISTER WITH DAMPER



• OD 12" x 3-1/2", Cut-out 10" x 2-3/8" x 1".

• Clamshell of 15" W x 7" H x 2" D. • Plastic.

Floor Register with damper, Plastic:

69297 White #H850 12

69298 Tan #H860 12



JR PRODUCTS **PLASTIC REGISTER**

These reaisters meet and exceed H.U.D. and R.V.I.A. specifications. They are made of molded thermo-

plastic and will not rust. Corners are rounded so there are no sharp edges. Easy to install, easy to open and close. The color is solid throughout the register, so it cannot scratch or peel away. Overall size 12" x $4\frac{1}{4}$ "; cutout size 10" x $2\frac{3}{8}$ ".

Undampered Register:

62350 Polar Wht #288-86-A-PW-A 12

78842 Tan #288-86-A-TN-A 2

Dampered Register:

62353 Polar White #288-86-AB-PW-A 12

78843 Tan #288-86-AB-TN-A 2

EXTERIOR VENTS FOR VENTLINE **DUCTED** RANGE HOODS



Weatherproof Outside Vent features a lockable damper, heavy styrene construction and a 1-3/4" inlet flange. Rough opening is 3-3/4" x 10-1/2". Overall size 11-5/8" x 5-9/32".

Horizontal Outside Vent:

64357 Colonial White #V2111-11 24

61898 Polar White #V2111-13 24

Louvered design. 1-3/4" inlet size; cutout: 10-1/2" x 3-3/4"; overall: 12-1/8" x 5-1/4".



Constructed of durable injection molded plastic.

Vent, Outside Louver:

61126 Colonial White #V2018-02 70

66630 Polar White #V2018-01 70

In Section H: Roof Ventilation Refrigerator Vents Plumbing Vents Registers & Grilles Side Vents Trim/Molding Gutter Extensions




Mill-finish aluminum drip caps divert rain and melting snow from doors and windows. Used to protect door and window openings of all types including mobile homes, RVs, horse trailers, portable toilet enclosures, etc. With formed ends and punched screw holes. Note: Measure lengths from inside the curve, as illustrated. The overall length equals Dimension "A" + 3.5".



DRIP RAIL


Standard drip rail. (Sold only in tube of 10 pieces, 16 ft. long.)



40202 Tube/10 Drip Rail, Arctic White #CDS-40202 ◆ 1



Insert Drip Rail, Tube/10, 16ft. L: **45051** Tube/10 Insert Drip Rail, Arctic White #CDS-45051 ◆ 1



LONG LIP CORNER MOLDING

Corner Insert Trim (Sold only in tube of 10 pieces, 20 ft. long): 49943 Arctic White #CDS-49943 ♦ 1
41122 Colonial White #CDS-41122 ♦ 1
41119 Mill Finish #CDS-41119 ♦ 1

SHORT LIP CORNER MOLDING

Standard side insert extruded trim. (Sold only in tube of 10 pieces, 16 ft. long): 49942 Arctic White #CDS-49942 \spadesuit 1 41625 Colonial White #CDS-41625 \spadesuit 1 41624 Mill Finish #CDS-41624 \spadesuit 1

END CAPS FOR ALL CORNER MOLDING

Ends Caps, Bag/10: **49946** Arctic White #CDS-49946 <u>1</u> **41135** Colonial White #CDS-41135 <u>1</u> **41134** Mill Finish #CDS-41134 <u>1</u>




JR PRODUCTS
EXTENDED
RAIN GUTTER SPOUTS

These one-piece extended rain gutter spouts are the <u>longest</u> on the market and will keep your RV free of black streaks by directing the water away from the sidewalls. The eye pleasing design moves the water volume faster and further away than any other rain gutters spouts. Made of durable plastic with UV inhibitors for years of use. Spouts have a one-piece design so you don't have to use clip-ons. They attach to your RV under the existing aluminum track and never need to be removed.

Extended Rain Gutter Spouts:


28439 Rigid, Pk/2 #655-PW-A 1

28442 Flexible, Pk/2
#655-FLEX-PW-A 28



Edge Molding, DC #8, Arctic White, Tube/10:

46849 8' #CDS-46849 <u>1</u> **46851** 10' #CDS-46851 ◆ <u>1</u> **46850** 12' #CDS-46850 ◆ 1



EDGE MOLDING

Standard edge molding.
Sold only in tube of 10 pieces, 16 ft. long.

41636 Tube/10 Edge Molding, Mill Finish #CDS-41636 ◆ 1



JR PRODUCTS RV GUTTER SPOUT



Gutter spouts easily install to sidewall rain channel ends to eliminate dirty streaks from the side of your RV unit. Fits all manufacturers' rain channels including awning inserts, J-channels.

Drip Spout, Bag/4: **49500** Colonial White #389CW-A <u>1</u> **49781** Polar White #389PW-A 1

SKYLIGHT DOMES

In Section M: Starter Kits | Vehicle Items | Window & Door | Interior Accessories | Mats | Steps | Camper Tie Downs | Wheel Chocks | Ladders | Carriers | Winches | Levelers | Jacks


BRI-RUS SKYLIGHT DOMES

• Skylights are made of high performance thermoformed polycarbonate to be long lasting and easy to clean. • When choosing a Skylight, measure your rough hole opening as well as the overall exterior size. • There is a size to replace most manufacturer's original equipment. • Skylights include care instructions. • Skylights include a tube of approved urethane sealant that must be used when installing.





Nhite			



Measure Rough Hole for Inside Measurement.

Measure Outside Flange-Flange for Outside Measurement.



Measure the size of the rough hole opening in your roof. Skylights sit directly on your RV roof.

If necessary an inner garnish is available to finish the inside hole. No metal flange is used with these single pane skylights. Use a skylight size that is equal to or greater than your hole dimensions. Always use included sealant. Note, inners must be the exact size as the hole you are working with.

Order #	Mfr. #	Color	Hole Size (a x b)	Flange size (c x d)	Height				
SKYLIGHTS - RECTANGULAR									
All skyligh	All skylights include 10oz. tube of approved elastomeric sealant. 60835 NEW St 1414S Smoke 14" x 14" 18 5" x 18 5" 4"								
60835	<u>NEW!</u> SL1414S	Smoke	14" x 14"	18.5" x 18.5"	4"				
68653	SL1414W	White	14" x 14"	18.5" x 18.5"	4"				
60262	<u>NEW!</u> SL1422B-LP	Bronze	14" x 22"	17.5" x 25.5"	4.5"				
68650	SL1422C	Clear	14" x 22"	17.5" x 25.5"	5"				
60263	<u>NEW!</u> SL1422E-LP	Cracked Ice	14" x 22"	17.5" x 25.5"	4.5"				
65887	SL1422S	Smoke	14" x 22"	17.5" x 25.5"	5"				
65889	SL1422W	White	14" x 22"	17.5" x 25.5"	5"				
60261	<u>NEW!</u> SL1422W-LP	White	14" x 22"	17.5" x 25.5"	4.5"				
S/0	SL1430C	Clear	14" x 30"	17.5" x 33.5"	5"				
65895	SL1430S	Smoke	14" x 30"	17.5" x 33.5"	5"				
67267	SL1430W	White	14" x 30"	17.5" x 33.5"	5"				
69289	SL1434S	Smoke	14" x 30"	17.5" x 37.5"	4.5"				
68652	SL1518C	Clear	15" x 18"	19" x 21.5"	4.5"				
68651	SL1518W	White	15" x 18"	19" x 21.5"	4.5"				
67269	SL1626W	White	16" x 26"	20" x 30"	4.5"				
69290	SL1630S	Smoke	16" x 30"	19" x 35"	2.5"				
67270	SL1824S	Smoke	18" x 24"	21.5" x 27.5"	5"				
65891	SL1824W	White	18" x 24"	21.5" x 27.5"	5"				
65897	SL1830S	Smoke	18" x 30"	21.5" x 33.5"	5"				
67271	SL1830W	White	18" x 30"	21.5" x 33.5"	5"				
68654	SL2222C	Clear	22" x 22"	25.5" x 25.5"	4.5"				
65899	SL2222S	Smoke	22" x 22"	25.5" x 25.5"	4.5"				
65901	SL2222W	White	22" x 22"	25.5" x 25.5"	4.5"				
67272	SL2230S	Smoke	22" x 30"	25.5" x 33.5"	5"				
69291	SL2234S	Smoke	22" x 34"	25.5" x 37.75"	4.5"				
69292	SL3030S	Smoke	30" x 30"	34" x 34"	5"				
SKYLIGH	TS - NEO ANGLE			'					
68649	NSL208S	Smoke	20" x 8"	24" x 11"	5"				
65854	NSL208W	White	20" x 8"	24" x 11"	4"				
69853	NSL2412S	Smoke	24" x 12"	27" x 14.5"	4"				
65855	NSL2412W	White	24" x 12"	27" x 14.5"	5"				
69855	NSL279S	Smoke	27" x 9"	31" x 12"	5"				
69851	NSL2810S	Smoke	28" x 10"	32" x 13"	5"				
65863	NSL2810W	White	28" x 10"	32" x 13"	5"				
69854	NSL3013S	Smoke	30" x 13"	34" x 16"	5"				
<u>NEW!</u> SK	YLIGHT KITS - LOW	PROFILE		,	•	•			



Kit includes: 1 x Skylight (replacement skylight Mfr#SL1422xx-LP), 1 x Inner Garnish and 1 x Sealant.

60265	K1422BLP	Bronze	14" x 22"	17.5" x 25.5"	Roof	
60268	K1422ELP	Cracked Ice	14" x 22"	17.5" x 25.5"	thickness of 1.5"	
60264	K1422WLP	White	14" x 22"	17.5" x 25.5"	or more	

60265: Skylight Kit, Low Profile Bronze

60268: Skylight Kit, Low Profile Cracked Ice



In Section M: Starter Kits | Vehicle Items | Window & Door | Interior Accessories | Mats | Steps | Camper Tie Downs | Wheel Chocks | Ladders | Carriers | Winches | Levelers | Jacks

BRI-RUS SKYLIGHT DOMES


 Skylights are made of high performance thermoformed polycarbonate to be long lasting and easy to clean. • When choosing a Skylight, measure your rough hole opening as well as the overall exterior size. • There is a size to replace most manufacturer's original equipment. • Skylights include care instructions. • Skylights include a tube of approved urethane sealant that must be used when installing.

Order #	Mfr. #	Color	Hole Size (a x b)	Flange size (c x d)	Height				
INNER GARNISH - RECTANGULAR									
66390	N1422	White	14" x 22"	16" x 24"	4"				
66387	N1422D	Clear	14" x 22"	16" x 24"	5"				
69293	N1430D	Clear	14" x 30"	26.5" x 32"	4.5"				
67273	N1626	White	16" x 26"	18.25" x 28.5"	4"				
69294	N1824D	Clear	18" x 24"	20" x 26"	6"				
66388	N2222	White	22" x 22"	24" x 24"	4"				
66385	N2222D	Clear	22" x 22"	24" x 24"	6"				
S/0	N2230D	Clear	22" x 30"	25" x 33"	4"				
INNER G	ARNISH - NEO ANGLI								
S/0	NN208	White	20" x 8"	24" x 11"	4"				
S/0	NN208D	Clear	20" x 8"	22.5" x 10"	8"				
S/0	NN2412	White	24" x 12"	26" x 14"	5"				
S/0	NN2412D	Clear	24" x 12"	26" x 13.5"	5"				
69856	NN2610D	Clear	26" x 10"	29" x 11"	5"				
69852	NN2810	White	28" x 10"	30" x 13.5"	5"				
67275	NN2810D	Clear	28" x 10"	29.5" x 12"	9"				
					•				



Note: Inner garnish part numbers ending in D have a clear polycarbonate top. Picture is not an exact representation.

OP PRODUCTS RV DOOR GLASS WITH BLACK FRAME. 12"X21"



69846 RV Door Glass With Black Frame.12"x21" #77051


OP PRODUCTS EXTERIOR AND INTERIOR WINDOW FRAMES

Replace your RV's interior and/or exterior entrance door window frames with exact factory authorized replacement parts! Quick & easy installation; no special tools required. Note: Glass window is held in position by frames only! Beware of sharp edges on glass during replacement process. Glass & replacement screws sold separately. Overall frame dim.: 15-3/4" x 24-3/4". Glass dim.: 12'W x 21"H.

Exterior Window Frame: 65572 Nu Tru White #77006 1 **65573** Ivory #77007 1

65575 Brown #77009 1

65574 Black #77008 1



65576 Nu Tru White #77010 1 **65577** Ivory #77011 1

65578 Black #77012 1 **65579** Brown #77013 1

SEE HARDWARE SECTION "G" FOR MORE **DOOR AND WINDOW ACCESSORIES**



Big Grab Handle, Plastic: 40418 White, 18" #E220 1 Soft Grab Handle, Clamshell: 41782 Black, 18" #E219 48 41783 White, 18" #E216 48



9" hole to hole. Pk/1.

46094 Chrome, 10" #E221 36 8 3/4" Long, Plastic: 40428 Black, 8-3/4" #E223 1 40427 White, 8-3/4" #E222 1